

Anywhere365

Attendant Console for Dialogue Cloud

May 2023, Version 1.3
Anywhere365



Anywhere365
Van Nelleweg 1 Hal B
3044 BC Rotterdam

+31 (0)88 1200 600
www.anywhere365.io
info@anywhere365.io

May 2023, Version 1.3

Author: Anywhere365

This document contains confidential and proprietary information which may be legally privileged. It is intended only for the original recipient. Any form of reproduction, dissemination, copying, disclosure, modification, distribution and or publication of this material is strictly prohibited without the explicit consent of Anywhere365. All products mentioned in this and associated documents are the property of their respective owners.
All rights reserved © 2022 Anywhere365

1 Table of Contents

1	Table of Contents	4
2	Note to the reader	8
3	Signing in to Attendant Console	9
4	The Attendant main screen	10
4.1	Resizing the panels	11
4.2	Full screen mode	11
5	The contact list	12
5.1	View modes in the contact list	12
5.1.1	Default mode: Recently used contacts	12
5.1.2	Favorites mode	12
5.1.3	Search mode	13
5.1.4	Title bar text depending on the mode	14
5.2	Viewing the details of a contact	14
5.3	Multiple columns	15
5.4	Contact types	15
5.5	Presence	16
5.6	Actions in the contact list	16
5.7	Managing your favorites	17
5.7.1	Adding a favorite	17
5.7.2	Removing a favorite	18
5.7.3	Displaying favorites	18
5.7.4	Sorting favorites	18
5.8	Searching and filtering	20
5.8.1	Searching a contact	20
5.8.2	Filtering contacts from the filter menu	23
5.8.3	Saving search queries	24
5.8.4	Advanced search	26
5.9	Editing contacts	28
5.9.1	Adding a contact	28
5.9.2	Editing a contact	29
5.9.3	Deleting a contact	30
5.10	Shared contacts	31
5.10.1	Filtering shared contacts	31
5.10.2	Adding a shared contact	31
5.10.3	Editing a Shared contact	33
5.10.4	Deleting a contact	34
5.11	Contact Sources	35
5.11.1	Filtering contact sources	35
5.12	Sending an email to a contact	36
5.12.1	Opening the email form in a new window	37
5.13	Making a contact note	38
6	Call functionality	41
6.1	Connection with the server	41
6.2	Call states, destination and call actions	41

6.2.1	Call states.....	42
6.2.2	Destination information.....	42
6.2.3	Call actions.....	42
6.2.4	Greyed out pickup button	43
6.2.5	Force hang up calls	43
6.3	Transferring a call	44
6.4	Call recording.....	45
6.5	Working with queue calls	46
6.5.1	Answering an incoming queue call	47
6.5.2	Toggling visibility of all monitored queues	48
6.5.3	Toggling visibility of a single queue	48
6.6	Calling or transferring to other numbers of a contact	49
6.6.1	Calling to other numbers of a contact.....	49
6.6.2	Transferring to other numbers of a contact.....	50
7	Attendant status	52
7.1	Presence.....	52
7.2	Do not disturb.....	52
8	Personalizing the Attendant	53
8.1	Interface preferences	53
8.2	Conversation settings.....	55
8.2.1	Calling Identity	56
8.2.2	Audio Alerting.....	56
8.2.3	Calling timeout.....	57
8.3	Queue management	57
8.3.1	Joined queues	57
8.3.2	Queues to monitor.....	58
9	Keyboard navigation	59
10	Widgets.....	60
10.1	Maximizing and restoring	60
10.2	Moving the widgets around	60
10.3	Adding a widget.....	61
10.4	URL Placeholders for widgets.....	63
10.4.1	Calendar widget	63
10.4.2	Contact information widget.....	63
10.4.3	Contact note widget.....	64
10.4.4	Homepage widget	64
10.4.5	Microsoft Dynamics CRM widget.....	64
10.4.6	Twitter widget	66
10.4.7	Web Page widget	66
11	Help function	68
11.1	Attendant version	68
11.2	Keyboard shortcuts	68
11.3	User Manual.....	68
11.4	Application messages	68
11.5	License.....	69


12	Sign out.....	70
13	Global configuration	71
13.1	Mail	71
13.1.1	SMTP Authentication.....	71
13.1.2	Microsoft Office 365 Authentication.....	73
13.1.3	Without Authentication.....	74
13.2	Connectors.....	76
13.2.1	Microsoft Dynamics CRM	76
13.3	Specific configuration in tenant	77
13.4	User privileges via Admin portal.....	77
13.4.1	Setting user privileges for default user	78
13.4.2	Setting user privileges for specific users	78
13.5	Maintain callback mail template	80
13.5.1	Adding a new mail template	80
13.5.2	Arranging the order of mail templates	81
13.5.3	Changing or deleting a mail template or creating a new one.....	82
13.6	Contact sources	82
13.6.1	Managing access	83
13.6.2	Adding or changing a contact source	86
13.6.3	Deleting a contact source	91
13.6.4	Supported file formats and columns	91
14	Change history	94

2 Note to the reader

This user manual is aimed at users of the Attendant. The images and screenshots in this document are made to illustrate the described functionality. Because of this, some details might be intentionally left out. Depending on the version, available features and configuration, the actual application might differ from the screenshots.

3 Signing in to Attendant Console

To sign in to Attendant Console, point your browser to URL provided by your system administrator, you will be redirected to a login page. Here you can sign in with your Microsoft Teams account.

A screenshot of the Microsoft sign-in page. At the top left is the Microsoft logo. Below it, the text "Sign in" is displayed in a large, bold font. Underneath "Sign in" is a text input field with the placeholder text "Email, phone, or Skype". Below the input field are three links: "No account? Create one!", "Can't access your account?", and "Sign-in options". At the bottom right of the page is a blue button with the text "Next".

Microsoft

Sign in

Email, phone, or Skype

No account? [Create one!](#)

[Can't access your account?](#)

[Sign-in options](#)


Next

After a successful sign in, you will be forwarded to the Attendant.

Note: Depending on your environment and previous logins, the Sign in procedure might take place automatically, and you could be forwarded to the Attendant Console immediately.


4 The Attendant main screen

Once you have signed in, you will see the Attendant screen. The figure below explains the different areas:



When you click on a conversation in F2, the details of that conversation will be shown in the F3 screen (Conversation details). Clicking on the 'X' will close this screen.


When you click on a contact in the contact list (F6), the details of that contact will be shown in the F7 screen (Contact details). Clicking on the 'X' will close this screen.



Note that call functionality will be explained in chapter 'Basic call functionality' later in this document.

4.1 Resizing the panels

You can resize each panel to the desired size by dragging the 'splitters' (marked orange below):



When the panels F2, F3, F6 or F7 have been made so small, that the buttons don't have sufficient space, the buttons will have a drop-down menu. To see the other buttons, click on the drop-down menu.

The positions of the splitters will be remembered between sessions.


The settings are stored on the Anywhere365 server, so you will have the settings available on other devices as well.

4.2 Full screen mode

The menu bar contains a button for making the Attendant full screen:



When the full screen mode is on, you can restore the screen to its original size with the restore button:




5 The contact list

In the contact list you can search for contacts, filter contacts and perform actions on the contacts that you have found.

5.1 View modes in the contact list

5.1.1 Default mode: Recently used contacts


By default the contact list will show the most recently used contacts. When a contact is used (i.e. a call has been made to that contact and that call has ended, or a transfer to that contact has been done, or a mail has been sent to that contact, or a contact note has been saved for that contact) the contact is moved to the top position of the contact list.



5.1.2 Favorites mode

When you click on the star icon in the title bar of the contact list, you will switch to the favorites mode. In this mode, you only see the contacts that you marked as favorite.


For information about adding, removing and sorting favorites, see paragraph "Favorites".



5.1.3 Search mode

Whenever you type in a search term in the search box, or when you filter your contacts via the filter menu, the contact list will switch automatically to the search mode. In that mode the contact list will only show contacts that match your search query or your filter.

Tip: when search has completed, pressing ENTER will dial the top-most search result.



When you turn off the filter and clear the search box, the contact list will return to the previous mode.

5.1.4 Title bar text depending on the mode

The title bar will show in text which mode you currently are working in:

When no filter is on and favorites are not set, the recently used contacts are shown, with the most recently used ones on top of the list:



When the 'Show favorites' button has been clicked, the favorite contacts are shown:



When a filter has been set, the filtered contacts are shown:



This title is shown, when you are searching for a contact, while a filter has been set:




This title is shown, when you are searching for a contact, while no filter has been set:




5.2 Viewing the details of a contact

Click on any contact to see the contact details in the right screen.



5.3 Multiple columns

The contact list supports multiple columns. When you drag the border of the contact list and increase the width, more columns will be displayed.



5.4 Contact types

Contacts are categorized by their type, and this is indicated by the following icons:



Personal contact. This contact is only visible to you.



Shared contact. This contact is a contact created manually, that is visible for all persons..



Corporate contact. This contact is available for all users in the company.



Queue. This is not a real contact, but a queue to which you can transfer calls.



External contact.

5.5 Presence

When the application is configured to show a contact's presence state, then the contact list might look like this:

	Allison Price BelipcoLogistics - IT
	Arman Jamesson BelipcoLogistics - Finance
	Bethold Prestwood BelipcoLogistics - Logistics
	Cathlin Schulz BelipcoLogistics - Logistics
	Chaitan Brahney BelipcoLogistics - Logistics
	Charlotte Hudson BelipcoLogistics - HR

Depending on the type of telephony system your company uses, the presence state may appear slightly differently. The colors however will remain the same. They are:

Green:	Available
Red:	Busy or Do Not Disturb
Orange:	Away
Grey:	Offline or unknown state

Hovering over the presence state indicator with your pointer will show the presence state in text. The presence state is also shown in Conversation details panel (F3) and in the Contact details panel (F7), see the next paragraph.

5.6 Actions in the contact list

When you hover over or select a contact, you have the following actions available:



Call the contact.



Send the contact an email.



Transfer the current call to the contact (only available when you have a current (connected) call).



Add or edit the note for the selected contact



Add the selected contact to or remove the selected contact from your list of favorites




In F6, the buttons "Edit Contact Note" and "Add to Favorites" are in the drop-down menu.



5.7 Managing your favorites

5.7.1 Adding a favorite


You can mark a contact as favorite by clicking on the star in the contact detail area:



You can also use the favorites button in the contacts list (F6)



When the contact has been marked as favorite, a star will change color and become visible:




5.7.2 Removing a favorite

You can click on the 'Remove from favorites' button again, to remove the contact from your favorites.

5.7.3 Displaying favorites

The contact list indicates your favorites with a star:




To view all your favorites, you can switch to the 'favorite mode' by clicking on the star in the title bar:




5.7.4 Sorting favorites

When you are in the favorites mode, you can arrange your favorites by dragging and dropping a contact from one place to another. The dashed line indicates the place where your favorite will be moved.




When there are multiple columns in the contact list, the dashed line will appear to the left or right side of the contacts, depending on whether you hover over the left or right part of a contact:



5.8 Searching and filtering

5.8.1 Searching a contact

You can start typing to enter text in the search box to search in the contact list (you do not have to click into the Search field first). Your search text will be highlighted in the search results:



Select X in the search box or press “Escape” to clear the search text.

All fields that you see in the contact information are searchable in the search box in F6.

Note: It is not possible to search on text that is not at the beginning of a word. For example, if a name is 'Elliot', it is possible to search on 'El', but not on 'iot'. When a name is 'Van Halen', it is possible to search on 'Hal'.

5.8.1.1 Search results

The contact list search results will be sorted based on the field in which the search term is found. From most important to less important the order is:

1. firstname
2. displayname and lastname
3. email
4. department
5. function
6. other fields.


This order of this list indicates the weighting of the search. If the searchtext is found in the same field then it will get more priority if it is an exact match. So when searching for "Rob" a person with firstname "Rob" will be shown first and a person with firstname "Robert" will be shown later. If the field and whether it is an exact match or not are equal then the favorites are shown first followed by the most recently used.


Note: A contact's displayname is defined in the User management of Microsoft 365 admin center.


When the result limit is reached, not all matching contacts are displayed. In such a case, enter a more precise search term to refine your search to find a specific contact.

5.8.1.2 Searching for a number

You can also search for a number. When the number is not found, you can still dial that number:




Instead of typing the numbers, you can also use the dial pad. You can toggle the dial pad on and off by selecting the dial pad .



5.8.1.3 Searching contact notes

The contact notes can be searched now. You can do a specific search on with the prefix "note:" or a note specific search without the prefix.



So when searching with a search term like "note:test", it will match contacts that have a contact note with a word that starts with (or equals to) "test".

When searching with a search term like "test" it will match the same contacts plus the contacts that have any other field with a word that matches "test".


A match on contact note will have the lowest priority so it is displayed at the bottom.

5.8.2 Filtering contacts from the filter menu


You can filter the contact list to narrow down the number of contacts you see. Via the filter settings, you can select which contacts you want to see.



You can select which type of contacts you want to see.




For example, you can select 'Personal contacts' to display only your personal contacts:




When you select one of the filter options, it is applied immediately and will remain active until you select the 'Filter contacts' button once again.



If you reselect 'Filter contacts' button, the last used filter options will be reapplied to your contact list.



When the 'Filter Contacts' icon is solid, the filter is active: 

When the 'Filter Contacts' icon is outlined, the filter is inactive: 

Your filter settings will be saved between sessions.

5.8.3 Saving search queries

In the Attendant you can save your search queries so you can use them later on. The saved search queries actually are a combination of a filter and/or a search string.

5.8.3.1 Saving a search query

You can create a filter, whenever you are filtering and/or searching, for example when you are filtering on "Personal contacts" and you want all contacts that have "mon" in the name:




When you want to save this query, you can click on the “save” button in the search bar:




Note: The save button can be disabled, if you have reached the maximum number of saved queries. In that case, you have to delete a saved search query first.

When you click on the save button, a popup will be shown, where you can give your saved query a name:



In the popup, you can also see the Advanced Search text, that is used to list these contacts. (For more information about the Advanced Search syntax, see the paragraph about Advanced Search later on in this chapter).

Then click on button “Save”, to finalize your search query. If you open your filter drop down, you will see that your search query has been saved. Right below the contact types, you will see a section that contains your saved search queries:




When you click on a saved search query, the contact list will show only the contacts that apply to that query. When you click on “(All contacts)”, the filter will be cleared and you will see all contacts again.

5.8.3.2 Editing a saved search query

You can change the name of a saved search query by clicking on the edit icon . Then the popup will appear, where you can enter a new name.

5.8.3.3 Deleting a saved search query

You can delete a saved search query by clicking on the edit icon . Then the popup will appear. Click on the trashcan button to remove the name. A question will be shown if you want to delete the item, with two buttons “Yes” and “No”. Click “Yes” to delete the item or click “No” to get back to editing the item.

5.8.4 Advanced search

The Attendant supports advanced search. This means that you can build your own search string that also includes filter options.

5.8.4.1 Syntax

A search string contains keys and values. A key-value pair looks like this:

`key:values`

for example:

`source:Personal,Corporate`

In the example above, the search will be limited by only Personal and Corporate contacts.

A key-value pair of values cannot contain spaces, commas or a colon. If you need it to contain those, then the values need to be included in a set of quotes. For example:

`key:"value 1","value:2"`

5.8.4.2 Overview of keys and values

<no key>	<p>All values in the string that are not preceded by a key will be used as a search term. For example:</p> <p><code>dav</code></p> <p>will look for contacts that contain the word “dav” in either the first name, last name or some other fields. Another example:</p> <p><code>dav bow</code></p> <p>will look for all contacts that contain either the word “dav” and the word “bow” in the first name, last name, or some other fields.</p>
----------	---

Source	<p>This will limit the search to the specified sources. For example</p> <pre>source:personal</pre> <p>will look for all personal contacts.</p> <p>The various sources are:</p> <ul style="list-style-type: none"> - Personal - Corporate - External
--------	--

A combination of keys and values can be used for searching. For example:


```
dav source:personal
```


looks for all personal contacts and 'dav' in either the first name, last name or some other fields.

It is possible to search the other contact details fields as well, the following fields are searchable:

Contact details field name	Example	Azure AD field name
First name	FirstName:dav	First name
Last name	LastName:dav	Last name
Email	Email:dav@dav.com	Email
Primary number	Phone:123	Office phone
Mobile number	MobilePhone:123	Mobile phone
Function	Function:dev	Job title
Department	Department:sales	Department
Organization	Organization:dev	Company name
Building	Building:dav	Office
Street of building	BuildingStreet:dav	Street address
Postal code of building	BuildingPostalCode:123	ZIP or postal code
City of building	BuildingCity:dav	City
Country	BuildingCountry:dav	Country or region
State or province	BuildingState:dav	State or province
Name of manager	Manager:dav	Manager

For some fields in the contact details, a clickable filter icon appears next to the value, which inserts it as a search term, making it easy to find more contacts of the same kind:



Contact details (F7)	
MarkoVirtual (+31101234567) Offline	
Contact information	
First name	Marko
Last name	Virtual
Email	markovirtual@pcadev.net
Primary number	+31101234567
Mobile number	+31612345678
Function	Senior Tester
Department	Quality Assurance
Organization	Anywhere365
Building	Headquarters 
Street of building	Virtualstreet 1
Postal code of building	3144 EJ
City of building	Maassluis
Country	Nederland
State or province	Zuid-Holland
Name of manager	Peter Pan

Following fields show this clickable filter icon:

- Function
- Department
- Organization
- Building

5.9 Editing contacts

5.9.1 Adding a contact

You can add personal contacts to the contact list. The steps are:

1. Click on the 'Add contact' button in the title bar of F6:



2. Now, a pop-up appears in which you can enter the data of the new contact. Click on the 'Save' button to save the new contact. Click on 'X' to cancel.

Note that the fields in the image might differ depending on your edition of the Attendant.



Personal contact


*Name

*Primary phone number

Save

Another way to add a contact is:

1. Search for a number in the search box of the contact list. |



Search results (F6)


234098798734

Dial 234098798734

Phone number

No results

2. Click on the 'unknown number' contact in F6. Then in the Contact Detail panel, you will see a button "Add" in the contact information widget. Click on that button.



Search results (F6)

234098798734

Dial 234098798734

Phone number

No results

Contact details (F7)

(234098798734)

Contact information


Contact Type: Personal

Primary number: 234098798734

3. Then the contact pop-up appears, see at the beginning of this paragraph.

5.9.2 Editing a contact

When you want to edit a personal contact, first search for the contact via the search box in the contact list and select the contact. Then click on the button "Edit" in the Contact Information widget in F7:




The contact pop-up appears. When you are ready editing the contact, click on the button 'Save' to save the changes or on the 'X' to cancel editing.

Note that the fields in the image might differ depending on your edition of the Attendant.



5.9.3 Deleting a contact

To delete a personal contact, first search for the contact in the search box of the contact list and select the contact. Then click on the button 'Edit' in the contact information widget in F7.



A popup will open where you can edit the contact, but there will also be a trashcan button:



A confirmation message will be displayed, asking if you really want to delete this contact.




Click on "Yes" to confirm to delete the contact or click on "no" if you don't want to delete the contact.

5.10 Shared contacts

Shared contacts are managed within the Attendant Console, but contrary to Personal contacts, they are visible for all Attendant users. The privilege to manage Shared contacts can be controlled from the Admin portal (see section).

5.10.1 Filtering shared contacts

You can filter on Shared contacts in the filter menu.



5.10.2 Adding a shared contact

You can add Shared contacts to the contact list in case your account has the rights to do so assigned in the Admin Portal. The steps are:

1. Click on the 'Add contact' button in the title bar of F6:




2. Now, a pop-up appears. Select 'Shared contact' and enter the data of the new Shared contact. Click on the 'Save' button to save the new contact. Click on 'X' to cancel.

Note that the fields in the image might differ depending on your edition of the Attendant

Another way to add a contact is:

1. Search for a number in the search box of the contact list. |


2. Click on the 'unknown number' contact in F6. Then in the Contact Detail panel, you will see a button "Add" in the contact information widget. Click on that button.



3. Then the contact pop-up appears, see at the beginning of this paragraph.


5.10.3 Editing a Shared contact


When you want to edit a Shared contact, first search for the contact via the search box in the contact list and select the contact. Then click on the button "Edit" in the Contact Information widget in F7:



The contact pop-up appears. You can edit the contact, including changing it from Shared contact into Personal contact. You can also convert a Personal contact into a Shared contact and thus making it available for all users. When you are ready editing the contact, click on the button 'Save' to save the changes or on the 'X' to cancel editing.

Note that the fields in the image might differ depending on your edition of the Attendant.



 **Contact**

☐ Personal ☒ Shared

*Name

Email


*Primary number

Mobile number

Function




Department




Organization













5.10.4 Deleting a contact






To delete a Shared contact, first search for the contact in the search box of the contact list and select the contact. Then click on the button 'Edit' in the contact information widget in F7.

Filtered contacts (F6)





 **James Summer** 

 **Albert Einstein** 

 **Arman Jamesson** 

Contact details (F7)

 **Contact information** 


Name

James Summer

Primary phone number

12665

A popup will open where you can edit the contact, but there will also be a trashcan button:



A confirmation message will be displayed, asking if you really want to delete this contact.



Click on "Yes" to confirm to delete the contact or click on "no" if you don't want to delete the contact.


5.11 Contact Sources

In addition to the standard Contact Sources, the Attendant supports displaying and filtering contacts from additional sources such as Excel files on a Sharepoint/OneDrive environment. These Contact Sources are managed within the Admin portal.

The contacts are visible to all users that have access to the contact source itself.


5.11.1 Filtering contact sources

The configured contact sources are shown together with other contact types, in the screenshot below the Queues. The administrator can set up a custom icon for them. On the above screenshot there are 2 external contact sources configured: Excel Contacts and Star Wars Contacts. Using the checkboxes, any combination of contact sources can be enabled or disabled.



5.12 Sending an email to a contact

To send an email to a contact, press the email button in the contact list next to the person that you want to send the email to.




Then the send mail popup will be shown. Here you can enter your email.

A screenshot of the 'Send mail' popup form. The form has a title bar with a close button (X) and a share icon. It contains several fields: 'Mail Template' (set to 'Callback reminder (English)'), 'Callback number' (set to '+31850407641'), 'Send to' (set to 'testuser02@peterconnects.cloud'), and 'Subject' (set to 'Please call back: Test caller One +31850407641'). Below these fields is a 'Message' section with a rich text editor. The message content is: 'Missed call from: Test caller One +31850407641', 'Subject:', 'Kind regards,', 'Test User 02', 'Email: testuser02@peterconnects.cloud', and 'Phone: +31854863347'. At the bottom right of the message area, it says 'p > strong' and '20 words'. A 'Send' button is located at the bottom right of the form.

The form contains the following fields:

Mail Template There are one or more mail templates configured. Each can be in another language. The first one is used as default. The mail template can be changed in the pop-up of the email.

Callback number When you have one or more active calls, you can select to which call this mail applies. See the screenshot below. Default the last selected call will be shown in the template.




Send from The email address that will be used to send this email. This field cannot be edited in the Attendant. For changing this email address, see chapter [Global configuration]. Note that this field is not shown when this has not been configured in the global configuration.

Send to The email address of the contact. This field is prefilled when the email address of the contact is known. Otherwise, you can enter an email address.

Subject The subject of the mail. The subject will contain a predefined text with the data of the most recently selected call in the calls list (F2). You can change the text if needed.

Message The content of the mail. The message will contain a predefined text with the data of the most recently selected call in the calls list (F2). You can change the text if needed. The mail can be styled using the rich text functionality in that is available for the Message, you can use Bold, Italic, Underlined as well as some other options to style the text.



Press button 'Send' to send the mail.

To cancel the email, you can press the 'X' button in the top right corner or press the 'ESC' button.

5.12.1 Opening the email form in a new window


Suppose you are writing a mail, but suddenly you have to do something in the Attendant. Then you would like to close the mail popup and work on your mail later on. For this purpose the mail form has a pop out button:



When you click on this button, the mail form will be opened in a new browser window.


Now you can switch between the browser windows to go to the Attendant and back to the mail form later on.

When you have sent the email in the pop out window, a message will be displayed that you can close that browser window now:



5.13 Making a contact note


In F7 and F3 you can add a note to the selected contact by clicking on the 'Add note' button. This feature is only available in the Premium edition.



You can also use the 'Add note' button in the contacts list (F6)



In the popup, you can enter the note. The notes can have a maximum of 1000 characters. Click on the 'Save' button, if you want to save the note. Click on the X button, if you want to exit the popup without saving the note.






Now, the note is shown in the contact notes widget and in the contact information widget. Be aware that the contact note can be seen by anyone, who has access to that same contact.

Also, in the contact data in F6 and F7 it is indicated that there is a note for this contact. When you hover over this indication, you see the first 80 characters of the contact note.




You can edit the contact note in different ways:

- Click on the 'Edit note' button 
- Click on the 'Edit' button  in the contact information widget. The button appears while hovering over the widget
- Click on the 'Edit' button  in the contact note widget. The button appears while hovering over the widget

In the popup, edit the note and click on the 'Save' button. If you don't want to save the changes, click on the X button.

If you want to delete the note, click on the trashcan button in the popup:

You will be asked if you want to delete the item. Then click on 'Yes'.




6 Call functionality

6.1 Connection with the server

When the Attendant is starting up a connection with the server, you will see the following line of text in the conversations screen:




When it takes too long to connect, the text will become accented and a “retry” button will appear. The button mentions how long it will take before the next retry attempt will occur. If you want to retry earlier, you can click on the “retry” button.



6.2 Call states, destination and call actions

In the screen below, there are three calls:

- A call on hold with Test User 03
- An active call with Test User 02
- An incoming call from Test User 04



The following paragraphs describe the elements you can see in the calls in the Conversations (F2) panel.

6.2.1 Call states

The state of the calls is indicated in a small circle in the avatar of the other party.



This is the active (connected) call



This call is on hold




The caller is hearing a pre-alert announcement

6.2.2 Destination information


A call can show the following information about the original destination of the call:



This is the destination of the call



This shows from which destination the call falls back into Conversations



This is shown when somebody is calling to a contact, who has set his call forwarding to you or to the queue, that you have joined/monitored. Note that the forwarding information is only shown, when the call is in the My Calls section of the Conversation panel F2. In the parentheses you can see the reason of this forwarding:

- Always: The call is always forwarded
- Busy: The call is forwarded when the agent is busy
- No answer: The call is forwarded in case of no answer
- Unavailable: The call is forwarded because the agent is unavailable

6.2.3 Call actions

Depending on the state of the call, you can perform the following actions:



Pick up the incoming call



Hang up the active call
Decline an incoming call



Transfer the call



Put the current call on hold



Retrieve a call from hold

6.2.4 Greyed out pickup button

When the attendant is only using a calling application and no physical device, the pickup button for an incoming call will show up as greyed out, indicating that the phone client should be used to pick up the call.

Conversations (F2)

My calls (1)

A

AI Dente (+31850068773)

0:03 - Incoming call

Destination: PeterConnects@ucc_peterconnects

uucc_peterconnects (1)

A

AI Dente (+31850068773)

0:11 - Incoming call

Destination: PeterConnects@ucc_peterconnects

1

1

1

1

Please accept this call using your calling application

Conversation details (F3)

A

AI Dente (+31850068773)

Contact information

Contact Type

Personal

Name

AI Dente

Primary number

+31850068773

6.2.5 Force hang up calls

In exceptional cases, it can happen a call does not disappear after hanging up. The attendant can now force the call to be dropped using the CTRL + Delete keystroke. A popup is presented to confirm this action.

Hang up

Would you like to end this call?

Yes

No


43


The standard 'Delete' keystroke to end a call only works when there is also a visible End call button. In case there is a call without a visible End call button, the attendant user can press the CTRL + Delete to remove the (non-existing, orphaned) call.

6.3 Transferring a call

There are several ways to transfer a call.

1. Transfer an active call to a hold call (announced transfer)


When you have an active call and a call on hold, you can click on the transfer button  to transfer the active call to the held call:



Note: it is also possible to do an announced transfer to a Teams queue.


2. Transfer an active call directly to a contact (blind transfer)

When you have an active call, you can search in the contact list (F6) and transfer the call to that contact:



“Drag and drop” a call to another call (announced transfer)


When you have two calls, you can drag one call with your mouse to another call. When dragging, you will see dotted lines where you can drop the call.



Note: it is also possible to do an announced transfer to a Teams queue.

3. **“Drag and drop” a call to a contact (blind transfer)**

When you have an active call, you can drag that call to a person in the contact list (F6). When dragging, you will see dotted lines where you can drop the call.




6.4 Call recording

Depending on your configuration you can have the option to record calls.


When this option is available and you are in a call, there is the possibility to record the call or fragments of the call.

When the call is connected, the recording is started up automatically.




When the recording has started, the pause and stop button will appear too, and the recording button (disabled) will start flashing slowly, so you know that a recording is in progress.

Press the pause button to pause the recording. After pausing you can resume by clicking on the start button again.



Click the stop button to stop the recording. After stopping the recording, the recording button, pause button and stop button will disappear from F2, so it's not possible to start a new recording.



Setting requirements for call recording:

- *UseAudioRecording (on UCC settings) must be true*
- *AgentCanEditAudioRecording (on UCC settings) must be true*

6.5 Working with queue calls

When you have chosen to join or to monitor queues, the display of the calls will be different.

NB: For more information about joining and monitoring queues, see the paragraph about Queue Management in chapter [Personalizing the Attendant].

The screenshot shows the 'Conversations (F2)' interface with a top bar containing icons for monitoring, notifications, and a call button. The main area is divided into three sections by brackets on the right:

- My calls:** Contains two active calls. The first is from 'Al Dente (+31850068773)' with a duration of 1:53. The second is from 'sip:testuser02@peterconnects.cloud' with a duration of 0:55 and a destination of 'Test1@UCC PeterConnects 2'. Both calls have pause and end-call buttons.
- Calls on joined queues:** Contains one incoming call from 'tel:+31108082763 (+31108082763)' with a duration of 0:16 and a destination of 'Test1@UCC PeterConnects 2'. It has a green pickup button.
- Calls on monitored queues:** Contains one incoming call from 'testuser03@peterconnects.cloud (sip:testuser03@pete)' with a duration of 0:12 and a destination of 'PeterConnects@ucc_peterconnects'. It has a green pickup button.

When you are assigned to join, the calls will be divided by headers:


- **A header named 'My calls'.** These are the calls that you make yourself, or are directly made to you.
- **A header for each joined queue**
- **A header for each monitored queue.** In the example above, it is the queue with the name 'ucc_peterconnects'

6.5.1 Answering an incoming queue call


When a call comes in on a queue, then you can click on the pickup button to accept the call:

The screenshot shows the 'Conversations (F2)' interface. The 'My calls (0)' header is highlighted in blue. Below it, the 'ucc_peterconnects (1)' queue is expanded, showing an incoming call from 'testuser02@peterconnects.cloud (sip:testus)' with a duration of 0:08 and a destination of 'PeterConnects@ucc_peterconnects'. A green circular pickup button is visible on the right side of the call entry.

Then the call will be moved to the 'my calls' section and will have a gray pickup button and a red hang up button:



The call is now ringing in Teams and needs to be accepted in Teams. After this, you will be connected to the call, and the call will be shown as follows:




6.5.2 Toggling visibility of all monitored queues

You can toggle the visibility of all monitored queues simultaneously by clicking the eye icon in the F2 header.




6.5.3 Toggling visibility of a single queue

The calls in each queue can be made visible/invisible by clicking on the expand/collapse arrow in the queue header.



Collapsed it looks like this.



6.6 Calling or transferring to other numbers of a contact


6.6.1 Calling to other numbers of a contact

The contact information widget shows all phone numbers of a contact. For example the primary phone number, the mobile number etc.

The phone numbers are underlined to indicate that they are links. When you hover over a row that contains the phone number, a small dial button will appear. When you click on this dial button, a phone call will be made to that phone number.

Contact information	
First name	Peter
Last name	Pan
Business E-mail address	peterpan@pcadev.net
Mobile number	+31612345678 
Function	Software Tester
Department	Quality Assurance
Building	Headquarters

When you click on the number itself, a pop-up will be shown, asking if you want to make a call to the specified phone number:




Press on 'Dial' if you want to make the call and on 'X' if you don't.

6.6.2 Transferring to other numbers of a contact

When you want to transfer a call to another number of a contact, you select that contact in the contact list and go to the contact information widget in the Contact Details. When you hover over a row that contains a phone number, a small transfer button will appear. When you click on this transfer button, the call will be transferred to that phone number.

Contact information	
First name	Peter
Last name	Pan
Business E-mail address	peterpan@pcadev.net
Mobile number	+31612345678  
Function	Software Tester
Department	Quality Assurance
Building	Headquarters

When you click on the number itself, a pop-up will be shown, asking if you want to make a call or a transfer to the specified phone number:

 **Contact User**

Would you like to dial or transfer this call to +31612345678?

Transfer


Dial

Press on 'Dial' if you want to make the call, on 'Transfer' if you want to transfer the call and on 'X' if you want to do nothing.

7 Attendant status

7.1 Presence

In the right top corner of the Attendant you can see your own states. Default you will only see your presence state:



7.2 Do not disturb

When you have “Do not disturb” switched on, it will be indicated by the do not disturb sign as follows:




Note: When your status in Teams is DND (Do Not Disturb), it is not possible to start or accept calls. In that case you will get a warning message:



8 Personalizing the Attendant


You can open the “Preferences” dialog from the menu bar:



In the preferences dialog, there are several tab pages on which you can set your own personal preferences. These tab pages will be described in the next paragraphs.

8.1 Interface preferences

In the preferences dialog, on the Interface tab, you can select a layout, a theme, the date and time format, some notification settings, use of the Teams Desktop integration and the language:



Layout

There are currently five layouts to be chosen, ranging from one to three columns. In these layout settings, the icons mean the following:



= Conversation area (F2)



= Conversation detail area (F3)




= Contact list (F6)



= Contact detail area (F7)

There is also an option for the tabbed layout. In this case, the Homepage, Conversation details and Contact details are displayed in tabs.



Theme

You can also select a theme: The default theme is shown from the start. The High Contrast theme can be used when you have difficulty seeing contrast. The Dark theme can be selected if you prefer a less bright screen.

Note that the Theme selection is only available in a standalone version of the Attendant.

Date and time format

The way that dates and times are shown can be customized by selecting the wanted date and time format and the date delimiter.


Notification

On the bottom of this screen you can select a location for popup notification messages and how many you will get maximum at one time. A notification can look like this:




Teams Desktop integration

The usage of the external application called 'Teams Desktop integration' can be configured. This application reduces the actions the user had to perform in the Teams application. Main functionality is picking up calls, without having to accept the call in Teams as well.



When checking 'Enable Teams desktop integration' an additional checkbox shows. When unchecking this second checkbox, Teams windows used for the calling will not be closed automatically after the call. So preferably leave this on checked.



Note: for more information on the Teams Desktop integration, see <https://product.attendant.anywhere365.io/attendant-console-desktop-integrator/>

Language

You can set the display language to English, Dutch, French, German, Spanish and Danish.

8.2 Conversation settings

On the tab "Conversation" you can configure some settings, that have to do with telephone conversations. The settings are described in the following paragraphs.

Preferences

Interface Conversation Queues

Calling Identity

Caller ID for outbound calls Anywhere365 Attendant Development Queue (+3... ▼)

Audio alerting

My Calls <None> ▼

Monitored queues <None> ▼

☒ Suppress alerts when in a call

Calling Timeout

On hold timeout (s) 60

Save changes

8.2.1 Calling Identity

In this section you can select which 'Caller ID' has to be used for making outbound calls. You can select only one 'Caller-ID' from the drop down. After saving the selection you are able to make outbound calls.

Remark: making outbound calls also requires a configuration to be correct in the Azure account. Contact your administrator in case after the configuration of the Calling Identity, you still cannot make outbound calls.

Calling Identity

Caller ID for outbound calls Receptionist Anywhere365 [Production] (+31107... ▼)

8.2.2 Audio Alerting

in this section you can set audio alerting. When audio alerting has been set, an audio signal is played when a new call comes in. The type of alerting sound can be chosen and can be different for queue calls and my calls. It is also possible to suppress alerts when you are in a call, using the checkbox 'Suppress alerts when in a call'.

Audio alerting

My Calls

<None>

Monitored queues

<None>

☒ Suppress alerts when in a call

8.2.3 Calling timeout

In the section “Calling timeout” you can set the amount of seconds for the on hold timeout. When the on hold time of a call exceeds the amount of set seconds, the line of the call that shows the on hold time and status starts blinking.

Calling Timeout

On hold timeout (s)

60

8.3 Queue management

Preferences

Interface

Conversation

Queues

Joined queues

Select queues to join for call distribution

(Select one or more)
UCC PeterConnects 2

Monitored queues

Select queues to monitor

(Select one or more)
ucc_peterconnects

Close

8.3.1 Joined queues

To add a queue to join, open the drop-down box (with the arrow pointing down) and check which queues you want to join. To remove a queue, click on the X behind the queue or uncheck the queue.

When you have selected a queue to join, phone calls on that queue will also ring directly on your phone, when it is dispatched to you.

Some queues might be preselected for you by an administrator. These will be displayed as “Queues preselected for call distribution”.

8.3.2 Queues to monitor

With a similar drop down as for selecting joined queues, you can also select which queues you want to monitor.

☒ (Select All)

- ☒ ucc_peterconnects
- ☒ UCC PeterConnects 3
- ☒ UCC PeterConnects 2

Note: When you have chosen to monitor a queue, but you have not joined it, phone calls on that queue will only be visible in your Attendant application.

9 Keyboard navigation

The Attendant allows keyboard navigation via shortcut keys. This will help keyboard centric operators to operate faster.

The shortcuts are shown in the Help menu:



Help (latest)

Shortcuts

User manual

Application messages

What's new

License

Support information

Global shortcuts

F2	Activate conversations panel
F3	Activate conversation details panel
F6	Activate contacts panel
F7	Activate contact details panel
F9	Activate Homepage panel
F4	Put current conversation on hold
Alt + P	Add contact (Alt+P)
Alt + R	Show most recently used (Alt+R)
Alt + V	Show favorites (Alt+V)
Alt + L	Turn filter on or off
Alt + K	Show filter settings

Shortcuts for conversations panel (F2)

→	Show conversation details in F3 / Show queue calls
←	Hide queue calls
↑	Select previous conversation
↓	Select next conversation
Enter	Pickup conversation / Retrieve call from hold
Ctrl + Enter	Transfer
Delete	Hang up
Ctrl + Delete	Force hang up call

Shortcuts for conversation details panel (F3)

Enter	Pickup conversation / Retrieve call from hold
Delete	Hang up
Ctrl + Delete	Force hang up call

Shortcuts for contacts panel (F6)

Ctrl + →	Show contact details in F7
→	Show contact details in F7 (with one column in F6)
→	Move to the right in the contact list (with multiple columns in F6)
←	Move to the left in the contact list
↑	Move up in the contact list
↓	Move down in the contact list
Enter	Dial or pickup
Escape	Cancel search
Ctrl + Enter	Blind transfer
Ctrl + E	Send mail to selected contact

Shortcuts for contact details panel (F7)

Enter	Dial or pickup
Ctrl + E	Send mail to selected contact


Close

10 Widgets


The detail areas of the Attendant (and the homepage as well) contains widgets. These are small application parts that operate on either the currently selected conversation or the currently selected contact.

10.1 Maximizing and restoring

You can maximize a widget within its containing panel by clicking on the maximize button:





And you can restore the widget again by clicking on the minimize button:



Note that the maximize button is not shown when there is only one widget in the panel, because when there is only one widget, it is already maximized to the contents of the panel.

10.2 Moving the widgets around

When you want to change the layout of the widgets, you can click on the 'Edit widgets'  button. The widgets become editable and you can drag and drop them and resize them. The widgets are positioned on a grid that becomes visible when dragging / resizing:



The widgets will automatically snap to the closest line on the grid. You can give the widgets any size and position.

You can automatically organize the widgets again by clicking on the 'Arrange widgets'  button.

You can remove a widget by clicking on the 'X' (Remove widget) in the title bar of the widget.

You can stop editing the widget by clicking on the 'Stop editing'  button.


Note that the content of the widgets is not shown in edit mode. The content will be shown again when you stop editing the widgets.

10.3 Adding a widget

In the edit modus of the widgets, click on the button 'Add a widget': 

Then the widget library will be shown, where you can select a widget:

Note: The actual widgets that are available to you might be different than the ones displayed below. This image is just for demo purposes.




Select a widget and click on the button “Add”. After adding a widget, you can configure it.



At least you can edit the title and the icon. The title is not mandatory. If you leave the title empty, the default title will be used. This default title will also automatically be translated, when you select another language via ‘Preferences’. When you do enter a title, that title will override the default title and will not automatically be translated, when another language is selected.

If you want to change the icon, you can click on the ‘Select’ button to show the icon selector. Then you can search for a specific icon, for example ‘note’.



The icon search is only available in English, because the icons are coming from a public library named ‘Font Awesome’.

Some widgets require more configuration. Those will be described in the next paragraph.

Click on ‘OK’ to add the widget. Click on ‘X’ to exit the settings screen.

You can change the configuration of widgets that had already been added by clicking on the ‘Configure widget’

button .

Exit the editing of the widgets by clicking on the ‘Stop editing’ button .

10.4 URL Placeholders for widgets

Widgets that need a URL can have placeholders. These placeholders will be used by the Attendant to provide the target data provider with extra request data. The placeholders are:

[CLI]	This placeholder stands for "Calling Line Identification". This is the phone number of the person that is calling.
[EMAIL]	The Attendant uses this tag as placeholder for the email-address of the currently selected person. For example, if a call is selected and the email address of the calling person is known, the email placeholder will be filled with that email address. If the email address is not available, an empty string will be used.
[LANG]	This tag will be placeholder for the currently selected language in the Attendant. The following placeholders are provided: en = English, fr = French, nl = Dutch, de = German, es = Spanish, da = Danish
[THEME]	(Only for the Webpage widget) This placeholder will be replaced with the name of the current theme, e.g. standard, dark, high contrast.
[DESTINATION]	(Only for the Webpage widget) This tag provides information about the called destination.
[CONTEXT]	(Only for the Webpage widget) This tag provides information about the caller and the user of the Attendant.

10.4.1 Calendar widget

This widget shows the calendar information for a contact, when the calendar has been configured by your administrator. This widget is only available in the Premium edition.

The days of the week, that have to be displayed in the calendar in the week view mode, can be chosen in the configuration of the widget.


Days shown in the week view

<input type="checkbox"/>	Sunday
<input checked="" type="checkbox"/>	Monday
<input checked="" type="checkbox"/>	Tuesday
<input checked="" type="checkbox"/>	Wednesday
<input checked="" type="checkbox"/>	Thursday
<input checked="" type="checkbox"/>	Friday
<input type="checkbox"/>	Saturday

10.4.2 Contact information widget

This widget shows the basic contact information for the selected contact. Note that for contacts from some platforms, "extension" is displayed as "primary phone number" in the widget and "number" as "alternative phone number". When there is no extension, the number is displayed as primary phone number in the widget.


In the configuration it can be indicated, whether the contact notes should be displayed in this widget or not.



Settings for widget 'Contact information'

Title (leave empty to use default title 'Contact information')

Icon:

 [Select](#)

Contact information options

☒ Display contact notes

10.4.3 Contact note widget

With this widget, you can read and edit contact notes. Be aware that the contact note can be seen by anyone who has access to the same contact. This widget is only available in the Premium edition.

10.4.4 Homepage widget

This widget is shown on the homepage screen, when the Attendant is just started up.


10.4.5 Microsoft Dynamics CRM widget

This widget serves the Attendant with content from the Microsoft Dynamics CRM. This widget has to be put on the Conversation details panel (F3).

For this widget, the following configuration is requested:

Settings for widget 'Microsoft Dynamics CRM'

Title (leave empty to use default title 'Microsoft Dynamics CRM')

Icon


Dynamics Domain:

Dynamics Region:

Dynamics Version:

Widget:

Headers:
☒ Number
☒ Status
☒ Name
☒ Description
☒ Amount
☒ Date
☒ Due date

Title	Optional title, just like every other widget
Icon	Optional other icon, just like every other widget
Dynamics domain	The domain that you are using, for example MyCompany
Dynamics region	The region that you are using, for example crm4.dynamics.com
Dynamics version	The version of your dynamics system, defaulted at 9.0
Widget	Using the drop down box, you can select which type of information you want to see in the widget. For example 'Invoices' or 'Opportunities'
Headers	Depending on the selected information type in 'Widget', you can select the headers you want to see

Note that you have to click 'Edit' in order to edit the individual configuration parts and that you have to click 'Save' to save the individual configuration parts.

To use this widget in the Attendant, you have to be logged in in the Microsoft Dynamics CRM via this widget. When you are not signed in yet, the widget will show a Microsoft login window.

After you signed in, you are able to see information in the Microsoft Dynamics CRM widget. To see this information, you have to select the caller in the Conversations panel (F2), so the caller will be visible in the Conversation details panel (F3). For example, when you click on a call and you selected information type

'Invoices' in the configuration of the widget, you will see the invoices of the company of the caller:

MyCompany CRM widget						Sign out
Dimension						
Number	Status	Name	Description	Amount	Date	Due date
Active						
181...	New	Support		€ 1.932,80	2018/12/24	None specif...
181...	New	Support		€ 1.932,80	2018/12/24	None specif...
181...	Booked (re...	Support		€ 1.812,00	2018/12/24	None specif...

When you click on any of the invoices in the widget, a new browser tab will be opened, where you view the information in the Microsoft Dynamics CRM itself.

Note: For connecting to the Microsoft Dynamics CRM from the Attendant, an administrator has to give admin consent. This is described in the chapter 'Global configuration'

10.4.6 Twitter widget

This widget shows the timeline of a Twitter user. The Twitter widget can be added to the homepage. In the configuration of the widget, the Twitter screen name has to be entered. This can be only the screen name, the screen name preceded by '@' or the Twitter URL. These will all be converted into the screen name.

10.4.7 Web Page widget


By inserting a Web Page widget, you can embed an external website into the Attendant. For example, a page of a corporate website. This feature is only available in the Premium edition.

When inserting the Web Page widget, you can enter a URL of the page to embed:

Settings for widget 'Web page'

Title (leave empty to use default title 'Web page')

Icon



Frame options

☐ Hide border
 ☐ Hide scrollbar

URL *


i A URL may contain the following placeholders:

- [CLI]: Will be replaced by the phonenumber of the contact. If not available, it will be replaced by an empty string.
- [EMAIL]: Will be replaced by the email address of the contact. If not available, it will be replaced by an empty string.
- [LANG]: Will be replaced by the selected language in the Attendant.
- [THEME]: Will be replaced by the selected theme in the Attendant (Standard, HighContrast).
- [CONTEXT]: Will be replaced with a base64 encoded json string with context information.
- [DESTINATION]: Will be replaced with the destination number.

In the frame options, it can be configured whether the border of the widget and/or the scrollbar of the page should be visible.


Technical notes:

- The URL is mandatory. When you enter a url without a prefix ('http://', 'https://', or 'ftp://'), the prefix 'https://' will be added automatically when you save the configuration.
- The URL can contain the placeholders [EMAIL] and [LANG]. The placeholders are described in paragraph "URL placeholders for widgets" at the end of this chapter.
- Not all websites can be run in the web page widget, which is actually a <iframe> element. Not all websites allow this. Some websites have an X-frame-options set to any of the following values:
 - **deny**: The website is not allowed to run in an <iframe>.
 - **sameorigin**: The website can only be run in an <iframe> when they both have the same origin (domain)
 - **allow-from <uri>**: The website is only allowed to be run in an <iframe> by a website that is run from a specific uri.

The web page that is shown in the widget can be opened in a new window, using the  button


11 Help function

Via the main menu you can open the Help popup:



11.1 Attendant version

In the title of the Help popup, the current version of the Attendant is mentioned.




11.2 Keyboard shortcuts

The first tab page of the Help menu describes the keyboard shortcuts, as described in the chapter about Keyboard navigation.

11.3 User Manual

On tab page 'User Manual' of the Help menu you can download the user manual.



11.4 Application messages

On the tab 'Application messages' all toast messages are listed. The notifications can be copied with the 'Copy' button.

Help (DC2022.01)

Shortcuts

Application messages

License

02-06-2022 13:08:09
Copy successful

02-06-2022 13:08:07
Copy successful

02-06-2022 13:08:05
Copy successful

02-06-2022 13:08:04
Copy successful

01-06-2022 17:28:22
Email sent

01-06-2022 17:24:37
Action could not be completed (probable cause: call is no longer available)
(CEAJREUXMFLS0:00006817)

11.5 License

On tab page 'License' you can view your license information.

Help (DC2022.01)

Shortcuts

User manual

Application messages

What's new

License

License

Type

Renewal date

For support, visit

Attendant Console for Dialogue Cloud

Subscription


13-03-2025(1021 Days)

<https://anywhere365.io/support/>

Close


12 Sign out

When you open the main menu (1), there is a menu item to sign out (2). If you click this item, you will be logged out of the Attendant. You will not be asked for a confirmation.



13 Global configuration

If you are permitted to edit the global configuration, you can go to the Admin Portal via the main menu:




In the Admin portal, you can enter some central configuration for the application. This configuration applies to all users of the Attendant. The following paragraphs describe the configuration, that can be made.

13.1 Mail

In the Attendant, the user can send a message to one of the contacts, for example to leave messages that there was a call for that contact. This functionality works with a default setting.

You can add 1 or more additional destinations to which the e-mail is being sent as a blind copy (Bcc). This can be done on the tab Mail of the Admin portal.



You can customize the e-mail configuration to work with your SMTP server by configuring this in the Admin portal. This can also be done on the tab Mail.

13.1.1 SMTP Authentication

The screenshot displays the 'Mail' configuration interface. At the top, a navigation bar includes 'Mail', 'Mail Templates', 'Connectors', 'User Privileges', and 'Contact Sources'. The main content area is divided into two sections: 'Additional Destination configuration' and 'Outgoing mail server configuration'.

Additional Destination configuration: This section contains a single text input field labeled 'BCC address'.

Outgoing mail server configuration: This section contains several settings:

- A checkbox labeled 'Use custom SMTP server to send mails' is checked.
- A text input field for 'SMTP server' contains the value 'smtp.office365.com'.
- A text input field for 'Server port' contains the value '587'.
- A text input field for 'Default from address' contains the value 'stephen.postma@pcadev.net'.
- Two radio buttons for sending email: 'Use default from address to send email' (selected) and 'Use user's email address to send email'.
- A checkbox labeled 'Authentication required' is checked.
- Two radio buttons for authentication: 'SMTP' (selected) and 'Microsoft Office 365'.
- A note: 'The authentication user must be allowed to send email as the email addresses of the receptionist users, and as the default from address.'
- A text input field for 'Username' contains the value 'stephen.postma@pcadev.net'.
- A text input field for 'Password' contains six asterisks, with a toggle icon to the right.

Test Configuration: This section contains a text input field labeled 'Send testmail to' with the value 'peterpan@pcadev.net', a blue 'Test' button, and a blue 'Save' button at the bottom right.

The following settings can be made:

- **Use custom SMTP server to send mails:** When this checkbox is checked, the configured settings will be used for sending mail.
- **SMTP server:** The name of the SMTP server that should send the mail.
- **Server port:** The port number of the SMTP server.
- **Default from address:** The email address that will be used for sending the emails, if the email address of the Attendant user has not been configured.
- **Authentication required:** If the SMTP server requires authentication, you can check this checkbox to enable the fields where you can enter the credentials.
- **SMTP:** When selected, the authentication type SMTP will be used for sending mail.
- **Username:** The username that will be used for sending mail via the configured SMTP server.
- **Password:** The password that will be used for sending mail via the configured SMTP server.
- **Send test mail to:** Enter a valid email address to verify the configuration.

You can test your settings by clicking on the button "Test" and save your changes using the button "Save".

After setting the custom SMTP, the users need to login into the Attendant again in order to see the new settings.

In case you also configured additional destination(s) these will also be used when sending e-mails using the custom SMTP settings.

13.1.2 Microsoft Office 365 Authentication

The screenshot shows the 'Additional Destination configuration' window in the Attendant Console. The window has a dark blue header with the title 'Additional Destination configuration'. Below the header, there is a 'BCC address' field. The main section is titled 'Outgoing mail server configuration'. It contains several settings: a checkbox for 'Use custom SMTP server to send mails' (checked), an 'SMTP server' field (smtp.office365.com), a 'Server port' field (587), a 'Default from address' field (stephen.postma@pcadev.net), and two radio buttons for 'Use default from address to send email' (selected) and 'Use user's email address to send email'. There is also a checkbox for 'Authentication required' (checked), with two radio buttons for 'SMTP' and 'Microsoft Office 365' (selected). Below these, a note states: 'The authentication user must be allowed to send email as the email addresses of the receptionist users, and as the default from address.' There are fields for 'Client Id' (bbe2bca6-d9db-4765-a28c-4f7391d9b157), 'Client Secret' (masked with dots), and 'Tenant Id' (bf0dfb98-fb04-42b8-984f-34283f7089a6). At the bottom, there is a 'Test Configuration' section with a 'Send testmail to' field (peterpan@pcadev.net) and a 'Test' button. A 'Save' button is located at the bottom right of the window.

Mail | Mail Templates | Connectors | User Privileges | Contact Sources

Additional Destination configuration

BCC address

Outgoing mail server configuration

☒ Use custom SMTP server to send mails

SMTP server: smtp.office365.com

Server port: 587

Default from address: stephen.postma@pcadev.net

☒ Use default from address to send email
☐ Use user's email address to send email

☒ Authentication required

☐ SMTP
☒ Microsoft Office 365

The authentication user must be allowed to send email as the email addresses of the receptionist users, and as the default from address.

Client Id: bbe2bca6-d9db-4765-a28c-4f7391d9b157

Client Secret: [masked]

Tenant Id: bf0dfb98-fb04-42b8-984f-34283f7089a6

Test Configuration

Send testmail to: peterpan@pcadev.net [Test]

[Save]

The following settings can be made:

- **Use custom SMTP server to send mails:** When this checkbox is checked, the configured settings will be used for sending mail.
- **SMTP server:** The name of the SMTP server that should send the mail.
- **Server port:** The port number of the SMTP server.
- **Default from address:** The email address that will be used for sending the emails, if the email address of the Attendant user has not been configured.
- **Authentication required:** If the Mail server requires authentication, you can check this checkbox to enable the fields where you can enter the credentials.
- **Microsoft Office 365:** When selected, the authentication type Microsoft Office 365 will be used for sending mail.

- **Client Id:** The client Id that will be used for sending mail via the configured Mail server.
- **Client Secret:** The client secret that will be used for sending mail via the configured Mail server.
- **Tenant Id:** The tenant Id that will be used for sending mail via the configured Mail server.
- **Send test mail to:** Enter a valid email address to verify the configuration.

You can test your settings by clicking on the button “Test” and save your changes using the button “Save”.

After setting the custom Mail server, the users need to login into the Attendant again in order to see the new settings.

In case you also configured additional destination(s) these will also be used when sending e-mails using the custom Mail settings.


Important:

When using the Microsoft Office365 Authentication, following Permission are required for the related Enterprise application:

- Sign in and read user profile;
- Read all users' full profiles;
- Send mail as any user.

13.1.3 Without Authentication

To be able to send mail without authentication, it first needs to create a connector in the tenant you want to use.



The screenshot shows the Exchange admin center interface. The left sidebar contains navigation links: Home, Recipients, Mailboxes, Groups, Resources, Contacts, Mail flow, Message trace, Rules, Remote domains, Accepted domains, Connectors (selected), Alerts, and Alert policies. The main content area is titled 'Connectors' and includes a description: 'Connectors help control the flow of email messages to and from your Office 365 organization. We recommend that you [check to see if you should create a connector](#), since most organizations don't need to use them.' Below the description are buttons for '+ Add a connector' and 'Refresh'. A table lists existing connectors:

<input type="checkbox"/>	Status ↑	Name	From	To
<input type="checkbox"/>	On	Send mail from pca-001-npd-we-cluster	Your org	O365
<input type="checkbox"/>	On	Send mail from pca-001-prd-we-cluster	Your org	O365

Then set the settings in admin portal:

Mail

Mail Templates

Connectors

User Privileges

Contact Sources

Additional Destination configuration

BCC address

Outgoing mail server configuration

☒ Use custom SMTP server to send mails

SMTP server

Server port

Default from address

☐ Use default from address to send email

☒ Use user's email address to send email

☐ Authentication required

☐ SMTP

☐ Microsoft Office 365

Test Configuration

Send testmail to

Test

Save

pcadev-net.mail.protection.outlook.com

25

stephen.postma@pcadev.net

The following settings can be made:

- **Use custom SMTP server to send mails:** When this checkbox is checked, the configured settings will be used for sending mail.
- **SMTP server:** The name of the SMTP server that should send the mail, use the specific DNS for the tenant.
- **Server port:** The port number of the SMTP server.
- **Default from address:** The email address that will be used for sending the emails, if the email address of the Attendant user has not been configured.

Permissions

Applications can be granted permissions to your organization and its data by three methods: an admin consents to the application for all users, a user grants consent to the application, or an admin integrating an application and enabling self-service access or assigning users directly to the application. [Learn more](#).

To request additional permissions for this application, use the [application registration](#).

As an administrator you can grant consent on behalf of all users in this tenant, ensuring that end users will not be required to consent when using the application. Click the button below to grant admin consent.

[Grant admin consent for PCADev](#)

Admin consent User consent

API Name	↑↓	Claim value	↑↓	Permission	↑↓	Type	↑↓	Granted through	↑↓	Granted by	↑↓
Microsoft Graph											
Microsoft Graph		User.Read		Sign in and read user profile		Delegated		Admin consent		An administrator	
Microsoft Graph		User.Read.All		Read all users' full profiles		Application		Admin consent		An administrator	
Microsoft Graph		Mail.Send		Send mail as any user		Application		Admin consent		An administrator	

13.2 Connectors

13.2.1 Microsoft Dynamics CRM

On the tab page 'Connectors' you can give admin consent, so the users in your company can connect to the Microsoft Dynamics CRM from the Attendant.

Admin consent can be given as follows:

You can fill in your Azure Id. This Azure account should have administrator rights.


Microsoft Dynamics CRM Widget

Give Admin Consent to PeterConnects for connecting to Microsoft Dynamics CRM ?


Your Azure Id ?

[Give consent](#)

When you click on button "Give consent", you will be redirected to a page where you can give consent. It might be that you first have to sign in or select with which account you want to give consent. The page where you are redirected looks like this:



After you click on button “Accept” you will be redirected back to the Admin Portal. If all went well, you will see a green confirmation that the consent was given successfully.



If something went wrong, you will see a red error message with a description what went wrong.

13.3 Specific configuration in tenant

To be able to do calling actions and use queues in the receptionist, consent must be given for the calling application and queue endpoints must be created in the tenant. For a guide on how to do this, a separate walkthrough is available at <https://product.attendant.anywhere365.io/configuration-attendant-console>

13.4 User privileges via Admin portal

On tab page ‘User Privileges’ you can configure for all users the access to

- Admin Portal
- Add/edit/delete Personal contacts
- Add/edit/delete Shared contacts.
- Manage the Preferences
- Add/edit/remove Widgets

You can also configure the default settings for new users.

13.4.1 Setting user privileges for default user

With the '(Default for new users)', it is possible to set the default for new users. For example: When the 'Enable Admin Portal access' and 'Enable manage widgets' is unchecked, all new users do not get Admin Portal and manage widget access, they only get manage preferences, manage personal contacts and manage shared contacts.

Mail Mail Templates Connectors Call Queue **User Privileges** Audio Files

Manage users privileges

Search

(Default for new users)

Alain Deluxe

Alain van den Berg

Andrzej Deluxe

Arjen Holleman

Bas van Leeuwen PcaDev

Bram the Prince

Users privileges

Default settings for new users

- ☐ Enable Admin Portal access ?
- ☒ Enable Manage Preferences ?
- ☒ Enable Manage Personal Contacts ?
- ☒ Enable Manage Shared Contacts ?
- ☒ Enable Manage Widgets ?

13.4.2 Setting user privileges for specific users

On tab page 'User Privileges' you can also configure the privileges for individual users.

When searching for a specific user, the privileges for this individual user can be set specifically for this user.

Manage users privileges

(Default for new users)

Peter Pan

Users privileges

Settings for user Peter Pan

- ☒ Enable Admin Portal access ?
- ☒ Enable Manage Preferences ?
- ☐ Enable Manage Personal Contacts ?
- ☐ Enable Manage Shared Contacts ?
- ☒ Enable Manage Widgets ?

Remark: A user cannot remove the Admin Portal access for his/her own account. This is shown with a greyed-out checkbox.


Users privileges

Settings for user Echo Dong

☐ Enable Admin Portal access ?


- ☒ Enable Manage Preferences ?
- ☒ Enable Manage Personal Contacts ?
- ☒ Enable Manage Shared Contacts ?
- ☒ Enable Manage Widgets ?

Remark: When manage Personal and/or Shared contacts is disabled for a user, the selected user cannot manage (create, edit or delete) Personal and/or Shared contacts. The user can, however, still view Personal and/or Shared contacts and use them as a filter.



13.5 Maintain callback mail template

On tab page 'Mail Templates' you can configure mail templates used for call back e-mails. On the top half of the page, you see a list of mail templates. On the bottom half, you see the text to select a mail template or to create a new one.



13.5.1 Adding a new mail template

In the top half of the page click on the  sign to open the bottom part for entering a new mail template.

The screenshot shows the 'Manage mail templates' section with a list of templates: 'Callback reminder (English)', 'Callback reminder (Danish)', 'Callback reminder (Dutch)', 'Callback reminder (French)', 'Callback reminder (German)', and 'Callback reminder (Spanish)'. To the right of the list are buttons for adding (+), moving up (↑), and moving down (↓) templates. Below this is the 'Mail template' form, which includes fields for 'Template name', 'Subject', and a rich text editor for the 'Message'. The rich text editor has a toolbar with icons for undo, redo, bold, italic, underline, strikethrough, text color, background color, bulleted list, numbered list, decrease indent, increase indent, link, unlink, and source code. At the bottom of the message field is an 'Insert' button. A 'Save' button is next to the 'Template name' field, and a 'Cancel' button is at the bottom right of the form.

A mail template requires:

1. Template name, name of the template as it is shown to the user;
2. Subject, this line becomes the subject of the e-mail that is being sent;
3. Message: this contains the actual e-mail content. By using the insert drop down at the bottom the following fields can be inserted:
 - Name of caller;
 - Phone number of caller;
 - Date;
 - My mail address (e-mail address of the logged in user);
 - My name (name of logged in user);
 - My phonenumber.

The message can be styled using the buttons on top of the Message box, you can use Bold, Italic, Underlined as well as some other options to style the text.

This image shows a close-up of the rich text editor toolbar. It includes icons for undo, redo, bold (B), italic (I), underline (U), strikethrough (ABC), text color (color swatch), background color (background color swatch), bulleted list, numbered list, decrease indent, increase indent, link, unlink, and source code (I_x).

Once the mail template is finished it can be stored by clicking the 'Save' button.

In case the mail template can be discarded, this can be done by clicking the 'Cancel' button.

13.5.2 Arranging the order of mail templates

By selecting a mail template and clicking on the arrow up or arrow down button you can arrange the order of the mail templates. The mail templates are shown in this order when the user selects a mail template for sending a callback reminder e-mail.

Mail Mail Templates

Manage mail templates

Callback reminder (English) +

Callback reminder (Danish) ↑ ↓

Callback reminder (Dutch)

Callback reminder (French)

Callback reminder (German)

Callback reminder (Spanish)

Mail template

Template name: Callback reminder (English) Delete Save

Subject: Please call back: [C_NAME] [C_NUMBER]

Message: Missed call from: [C_NAME] [C_NUMBER]
Subject:
Kind regards,
[MY_NAME]
Email: [MY_EMAIL]
Phone: [MY_PHONE]
Insert

Cancel

13.5.3 Changing or deleting a mail template or creating a new one

By selecting a mail template, the content of that mail template is shown in the bottom half of the screen. The user can change the content like with creating a new mail template and then press the 'Save' button.

By clicking the 'Delete' button a mail template that is obsolete can be deleted. The delete action has to be confirmed.

Mail Mail Templates Connectors Call Queue User Privileges Audio Files

Manage mail templates

Callback reminder (English) +

Callback reminder (Dutch) ↑ ↓

Callback reminder (German)

Callback reminder (French)

Stephen

Callback reminder (Spanish)

Mail template

Template name: Callback reminder (English) Delete Save


Subject: Please call back: [C_NAME] [C_NUMBER]

Message: Missed call from: [C_NAME] [C_NUMBER]
Subject:
Kind regards,
[MY_NAME]
Email: [MY_EMAIL]
Phone: [MY_PHONE]
Insert

Cancel

13.6 Contact sources


In the Admin Portal, under the tab 'Contact Sources' additional contact sources can be managed. Contacts from these sources will become part of the contact list (F6).




A new contact source can be added via a link to the source document, this can be Excel or CSV source documents.

Each contact source appears in the filter menu and can be toggled on/off just like other contact types.

After adding a contact source, an application refresh is necessary to make the contact source show up in the filter menu. The contact list (F6) will automatically be updated when the contacts in the source document are changed, however it might take some time for the new changes to end up there.



The order in which the contact sources are presented in the filter menu can be changed by clicking on an item in the list in the Admin Portal and using the arrow up and down buttons to the right to move it up or down the list, respectively.



13.6.1 Managing access

In order to work with contact sources, we need to set up a way for the attendant console to be able to read files from Sharepoint. At the top, there is a panel to manage access.

There are 3 possible ways to set up access:

1. Use the Anywhere365 enterprise application. For this, you only need to specify your own Azure tenant ID, save it and give consent. The Anywhere365 then has access to read the files your tenant's Sharepoint.

Manage Access

To use the Contact Source feature, please set up access to shared files on Sharepoint.

☒ Read files with Anywhere365 enterprise application ?

☐ Read files with own application registration ?

☐ Read files with user access ?

Directory (tenant) ID [How to find your Tenant ID?](#)

Required API	Microsoft
Permission	Graph/Files.Read.All

[Save](#) [Give consent](#)

2. Create an application registration in your own tenant and configure the access to it here. You will need to set up the permissions yourself. The Client Secret is stored securely and after saving will not be shown in the admin portal. The links below each setting will help gather the required information and to set up the application in Azure.

Manage Access

To use the Contact Source feature, please set up access to shared files on Sharepoint.

☐ Read files with Anywhere365 enterprise application ?

☒ Read files with own application registration ?

☐ Read files with user access ?

Directory (tenant) ID [How to find your Tenant ID?](#)

Application (client) ID [Create application registration to access shared contact files on Sharepoint](#)

Client Secret [Create secret for application registration](#)

Required API	Microsoft
Permission	Graph/Files.Read.All

[Assign API Permissions](#)

[Save](#)

3. Use delegated access from your user. This option is only available if you are logged in with an Azure User in the Attendant Console. This also requires admin consent. Since different users can be used to access the files, extra caution must be taken when setting up the access to the files in Sharepoint. If some users do not have access to the file, it might lead into issues when loading the contacts.

Manage Access

To use the Contact Source feature, please set up access to shared files on Sharepoint.

☐ Read files with Anywhere365 enterprise application ?

☐ Read files with own application registration ?

☒ Read files with user access ?

Required API Permission	Microsoft Graph/Files.Read.All
-------------------------	--------------------------------

SaveGive consent

The Manage Access panel will be collapsed when there are contact sources configured, but the settings can always be revisited by clicking on the header.

13.6.1.1 Admin consent

As said before, the application requires admin consent for reading files users have access to. If this consent is not given, a message will pop up including a button to give consent. If no admin consent has been given, validating a contact source will result in a permission denied error.

This feature requires consent for reading files accessible to the user. ? Give consent


Manage Contact Sources

+

↑

↓


Clicking on the 'Give consent' button will redirect you to a Microsoft page where you can accept the permissions requested:

 Microsoft

user@company.com

Permissions requested

Review for your organization

 Anywhere365 Attendant
Anywhere365

This app would like to:

- ✓ Read all files that user can access
- ✓ View users' basic profile
- ✓ Maintain access to data you have given it access to

If you accept, this app will get access to the specified resources for all users in your organization. No one else will be prompted to review these permissions.

Accepting these permissions means that you allow this app to use your data as specified in their [terms of service](#) and [privacy statement](#). You can change these permissions at <https://myapps.microsoft.com>. [Show details](#)

Does this app look suspicious? [Report it here](#)

CancelAccept

After giving consent, it might take a few minutes before it has been processed. Please refresh the page until the message disappears. Once the consent message is no longer presented, the contact sources are available to be configured.

13.6.2 Adding or changing a contact source




By clicking the plus icon next to the list of current contact sources you can add a new contact source. After clicking the button, a new section opens below the list of contact sources. You can also select one of the contact sources in the list to edit.

Edit

Name

Url

Icon 


In the form you can give the source a name and icon which is displayed to the users in the contact list filter menu. You can also paste the URL of the file here.

Files can be either Excel files or Csv files stored on the organizations SharePoint or OneDrive.


Edit

Name

Url


Icon 

To create a URL which can be pasted in this form, go to your organization's SharePoint or OneDrive in your browser and locate the file. Then click on the Share Link button:



There you can copy the link and change access. By default, the Edit rights seem to be granted for everyone who has the link.

You have to change the settings by clicking on “Anyone with the link can edit”.







Only view access is required for the contact source functionality: uncheck the ‘Allow editing’ checkbox to make it read-only.

Additionally, make sure to make the link only works for people in the same organization. The option “Anyone with the link” is insecure, while “People with existing access” or “Specific people” might not allow the system to read the contacts when the document has been changed.



Link settings

contacts.xlsx

Who would you like this link to work for? [Learn more](#)

-  Anyone with the link
-  **People in PCADev with the link** ✓
-  People with existing access
-  Specific people

Other settings

- ☒ **Allow editing**
-  Block download 

Apply **Cancel**

A pop up is presented with a 'Copy' button to copy the URL to the contact source to the clip board. Please verify that it indeed indicates that only people from your tenant with the link can view the document.

×




Link to 'contacts.xlsx' copied

u2b34O1Pjs8XVMoctLDeaTe86EoJ51qpw?e=MsV2Vg


Copy

 People in PCADev with the link can view >


With the URL on your clipboard, please return to the admin portal. After filling in both the Name and the URL and optionally selecting a different icon, you have to validate the contact source by clicking the 'Validate' button.




This will validate and test access to the contact source. After validation a message will appear to show the user whether the file is correct or not. In case the file is not valid a detailed message is shown, in case the file is valid it shows 'Validation is successful'.




After a successful validation, the 'Save and import' button will be enabled. Click it to actually import and save the new contact source in the contact list (F6).



A progress message will appear showing the status of the import.




Once ready it shows a green 'Ready'.



Edit

Name: Extra Contacts


Url: https://company.sharepoint.com/:x/g/Eb8ARR9qVbJlku2b3401PjsBE1Q6EVwQ\

Icon:  Select icon

Ready Refresh cache


Validate Save and import Delete Cancel

The contacts in the new contact source will only show up in contact list search results when all contacts have been imported and actually saved (available in the cache). After login the Attendant will see the new contact source in the contact list filter menu.




Changes to the underlying contact source files will automatically be picked up when a search is being performed and the file has been found to be modified. Important to know is: it might take some time before the changes are synchronized into the contact list, especially with large contact source files (it triggers a cache rebuild).

When the cache is ready, a 'Refresh cache' button appears. This button will force a complete refresh of the contacts in the source file.




Note: after changing a document in Sharepoint or OneDrive, it may take a couple of minutes before the changes are picked up by the Admin Portal.

In case you do not want to create the contact source after all, you can click 'Cancel' and the bottom part is closed and nothing is saved.



13.6.3 Deleting a contact source

To delete a contact source, click on it in the list of contact sources. The form with the details will appear. Click the 'Delete' button confirm that you are sure you want to delete this contact source.



In the background, the contacts will be removed. The contact source will also disappear from the filter menu in the contact list (F6).

13.6.4 Supported file formats and columns

Currently the following files are supported: Excel files (.xlsx, .xls), comma or semicolon separated files (.csv) and tab separated files (.tsv).

For Excel files the first sheet must contain the data, all other sheets are ignored.

On the first row the column names are specified. Every column corresponds to a property of a contact. See below for a list of all properties supported. Required properties are the LastName and Id.

The next rows should contain the information of the contacts.

For template and example files, please see the following zip file:

<https://delivery.anywhere365.io/deployment/Attendant-Attendant-Contact-Sources.zip>

Below is a list of supported columns:

Column	Description
Id	(Required) A unique ID for this contact in this file.
FirstName	
MiddleName	
LastName	(Required)
CompleteName	
DisplayName	
Sexe	
Initials	
CompPrimaryPhone	Primary phone number
CompAltPhone	Alternative phone number
MobilePhone	
PrivatePhone	
Extension	
Pager	
Titles	
Function	
CompanyEmail	
PrivateEmail	
CompFax	
SipAddress	
BuildingAddress	
BuildingStreet	
BuildingHouseNumber	
BuildingPostalCode	
BuildingCity	
BuildingCountry	
BuildingState	
BuildingPoBox	
BuildingPoBoxZip	
BuildingPoBoxCity	
ManagerName	
Room	
Location	
Organization	
Department	
Building	
ExtraCol1	
ExtraCol2	
ExtraCol3	
ExtraCol4	
ExtraCol5	

14 Change history

1.2	<ul style="list-style-type: none">• Renamed 5.4, 5.10, 5.11, 13.4, 13.6 contact types Group to Shared• Updated 6.12 with the rich text editor functionality• In 7.3 Added possibility to dial a Teams queue• Added 7.4 description of call recording• Added in 9.1 use of Desktop Integrator• Added 13.1.3 Mail without authentication• Updated 14.5 with the rich text editor functionality for mail templates
1.1	<ul style="list-style-type: none">• Added info about required permissions for mail configuration via Office365 authentication in §13.1• Add §5.8.1.3 Searching contact notes• Add Danish in §9.4• Add §12.4.3 Managing user privileges extended• Add §13.6 contact sources
1.0	<ul style="list-style-type: none">• Initial version

Attendant Console for Dialogue Cloud



ROTTERDAM – BRUSSELS – LONDON – MANCHESTER
ATLANTA – OTTAWA – SEATTLE

anywhere365.io